



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

*Weekly mortality table, foreign and insular cities—Continued.*

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Trieste.....	Oct. 15	223,521	79	72	.....	.....	.....	.....	2	1	6	7
Vienna.....	Oct. 22	2,130,320	534	.....	.....	.....	.....	.....	3	.....	.....	.....
Yokohama.....	Oct. 10	407,432	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
Do.....	Oct. 17	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Do.....	Oct. 24	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Do.....	Oct. 31	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES  
(untabulated).

ALGERIA—*Bona*.—Month of October, 1910. Population 42,000. Total number of deaths from all causes 61, including diphtheria 1, tuberculosis 12.

AUSTRALIA—*Newcastle*.—Month of September, 1910. Population 55,500. Total number of deaths from all causes 40, including diphtheria 1, scarlet fever 1.

AUSTRIA-HUNGARY—*Brunn*.—Month of September, 1910. Population 94,500. Total number of deaths from all causes 194, including typhoid fever 4, scarlet fever 4, diphtheria 4, tuberculosis 39.

CANADA—*Vancouver*.—Month of October, 1910. Population 78,900. Total number of deaths from all causes 82, including typhoid fever 2, tuberculosis 9.

FORMOSA.—September 3 to October 8, 1910. Population 3,132,335. Total number of deaths from all causes not reported. Nine deaths from typhoid fever and 2 from diphtheria reported.

FRANCE—*Cherbourg*.—Month of October, 1910. Population 43,837. Total number of deaths from all causes 60, including tuberculosis 12.

*St. Etienne*.—Two weeks ended October 31, 1910. Population 150,000. Total number of deaths from all causes 117, including typhoid fever 1, tuberculosis 17.

GREAT BRITAIN.—Week ended October 22, 1910.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 13 per 1,000 of the population, which is estimated at 16,940,895.

*Ireland*.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.4 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Lisburn, viz, 4.5, and the highest at Tralee, viz, 63.4 per 1,000.

*Scotland.*—The deaths registered in 8 principal towns correspond to an annual rate of 13 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Leith, viz, 8.4, and the highest at Perth, viz, 16.8 per 1,000. The total number of deaths registered from all causes was 470, including typhoid fever 2, scarlet fever 2, diphtheria 13.

*GREECE—Patras.*—October 1 to 28, 1910. Population, 40,000. Total number of deaths from all causes 43, including diphtheria 2, tuberculosis 7.

*ITALY—Milan.*—October 16 to 31, 1910. Population, 900,000. Total number of deaths from all causes 63, including typhoid fever 9, diphtheria 1, tuberculosis 52.

*JAMAICA—Kingston.*—Month of October, 1910. Population, 53,053. Total number of deaths from all causes 96, including tuberculosis, pulmonary, 15.

*SOUTH AFRICA—Johannesburg.*—Three weeks ended October 15, 1910. Population, 180,687. Total number of deaths from all causes 389, including typhoid fever 9, measles 26, scarlet fever 4, diphtheria 2, tuberculosis 48.

*TAHITI.*—Five weeks ended November 2, 1910. Population, 4,000. Total number of deaths from all causes 10. No deaths from contagious diseases.

*TASMANIA—Hobart.*—Month of September, 1910. Population, 183,387. Total number of deaths from all causes not reported. The deaths reported include diphtheria 1, tuberculosis 20.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

*Surgeon-General,*

*United States Public Health and Marine-Hospital Service.*